Wholesale PRICE LIST

1957

# LEO SCHRAKAMP'S

NURSERIES, INC.

56-38 210th Street, near
Horace Harding Boulevard
Bayside, L. I., New York
BAyside 9-6153

GROWERS OF
OUTSTANDING
NURSERY STOCK
FOR 35 YEARS!

Larkfield Road

LIBR ACOMMOCK L. I., N. Y.

RECEIVED

APR11 1957

U. S. Department of Agricultanter OF



LONG ISLAND NURSERYMEN'S ASSOCIATION N. Y. STATE NURSERYMEN'S ASSOCIATION

- All stock especially selected will be 10% above catalog price.
- PRICES are net, F.O.B. our Nurseries and cancel all previous quotations.

TERMS-Cash.

ITEMS which are greatly in demand are in this catalogue.

PACKING or DELIVERY is charged at cost.

GUARANTEE—As we have no control over conditions after the plants leave the nursery, we will not replace plants that fail to live or thrive.

# BALLING AND BURLAPPING

Ball & Burlap (B&B) is free of charge with all evergreens and also with deciduous stock where specified B&B. A charge will be made for digging deciduous stock with ball and burlap where not specified B&B as per the following schedule:

| Shrubs   |             | Trees   |
|--|-------------|---|
| 2 to 3 ft.<br>3 to 4 ft.<br>4 to 5 ft.<br>5 to 6 ft. | .75<br>1.00 | 1 1/4-1 1/2" caliper 4.50<br>1 1/2-2" caliper 5.75<br>2-2 1/2" caliper 8.50<br>2 1/2-3" caliper 11.00<br>3-3 1/2" caliper 20.00<br>3 1/2-4" caliper 20.00<br>4-4 1/2" caliper 28.00 |
|  |             | $4\frac{1}{2}$ -5" caliper 38.00  |

Platforms are charged for at cost and this amount is refunded or credited when they are returned to us.

This is a condensed listing of our stock. We will be glad to quote on any items omitted from this catalogue.

# Unit Price Per 10

Prices subject to change without notice.

Ask for special quotation on quantities of flowering shrubs.

ABELIA grandiflora (Glossy Abelia) Evergreen, Lilac-white tinted flowers. Blooms all summer. 1½-2' B&B field grown 2.50 ABIES douglasi (Douglas Fir) A handsome specimen. Soft, medium green to gray needles. 2-3' 3.65 3-4' 4.75 ACER palmatum atropurpurem (Red Japanese Maple) Dwarf tree. Rich purple-red, 6-8'. Leaves all summer. Best in sun,

2-21/2' (grafted) B&B 8.00 2-21/2' 8.00

platanoides (Norway Maple)

The most popular street tree, retains its green leaves until late autumn.

1 3/4" cal. (Staight Stem) 9.00 2-21/2" cal. 12.00

schwedleri (Schwedler Maple) Similar in habit to Norway, foliage

comes out in Spring, deep purple. 13/4" cal. 9.00 2-21/2" cal. 12.00

AMPELOPSIS tricuspidata (veitchi)

(Boston Ivy)

Brilliant autumn coloring, blue berries, turning black; closely self-clinging. Also called Japanese Creeper.

Bare Root 2-3 year old .35 Pot grown .60

AMELANCHIER canadensis

(Downy Shadblow)

White flowers in early Spring before leaves; fruit are relished by birds. Also called Juneberry

3-4' B&B 2.00 4-5' B&B 2.50 seedlings

11/2-2' B&B

2.50 3 50

2-3' B&B

ANDROMEDA arborea (See Oxydendrum) catesbaei (See Leucothoe)

igponica (See Pieris)

APPLES

Large sizes—heavy

in variety B&B

12.50

ARONIA arbutifolia (Red Chokeberry) Red berries and crimson foliage in the fall.

3-4'

.75

melanacarpa (Black Chokeberry) Delicate, white flowers in May; black berries persist until late.

2-3"

.75

**AZALEA** Nancy Waterer

(The Yellow Azgleg)

Varying from pale yellow to deep buttercup yellow; blooms borne in unusually large trusses.

1 1/2 - 2'

4.50

amoena

(Amoena Azalea)

Evergreen. Conspicuous, purple-red flowers. April-May. Leaves turn a rich, bronze-green in winter.

15-18"

3.00

babeuff

Beautiful orange-red, tinged salmon azalea-large trusses.

2-21/2'

4.50

calendulacea

(Flame Azalea)

The great flame Azalea of Carolina Mountains; very showy, burnt orange flowers.

2-21/2'

4.00

3-4'

5.00

| hinodegiri                     | (Hinodegiri Azalea)                           |
|--------------------------------|---|
|                                | r leaves and looser                           |
|                                | na; flowers very bright                       |
| red.                           |   |
| 12-15"                         | 2.00  |
| 15-18"                         | 3.00  |
| kaempferi                      |   |
| Alice—solmon red               | , dark blotch                                 |
| Fedora—finest dee              | ep pink                                       |
| John Cairns—bloo               | d red   |
| Kathleen—rosy re               | d   |
| 18-24"                         | 3.50  |
| 2-21/2'                        | 4.50  |
| ledifolia alba                 | (Snow Azalea)                                 |
|                                | , single, white flow-                         |
|                                | ced. Makes a striking alea hinodegiri, bloom- |
| ing same time.                 | alea minoaegiri, bloom-                       |
| 15-18"                         | 3.50  |
| 18-24''                        | 4.50  |
| mollis                         | (Chinese Azalea)                              |
| Large, showy flower            | ers in shades of orange                       |
| and red. May-Jun               | e. Large, hairy leaves.                       |
| Likes sun.                     |   |
| 18-24"                         | 3.00  |
| 2-21/2'                        | 3.50  |
| poukhanensis                   | (Korean Azalea)                               |
|                                | c flowers are profuse-                        |
| ly borne in May; ve<br>18-24"  | ery naray.<br>3.50                            |
| 2-21/2'                        | 4.50  |
| progress                       |   |
| pink or red everg              | reen  |
| 15-18"                         | 3.50  |
| snow                           | 1   |
| leaves                         | hose flowers, glossy                          |
| 12-15"                         | 2.00  |
| 15-18"                         | 3.00  |
|                                |   |
| BERBERIS inliana               | (Wintergreen Barberry)                        |
| BERBERIS juliana<br>15-18" B&B | (Wintergreen Barberry)<br>2.00                |

thunbergii (Iapanese Barberry)

A splendid, low hedge plant or for massing; brilliant autumn coloring; scarlet berries.

1 1/2 - 2'

.35

atropurpurea

(Red Jap. Barberry)

A very desirable, new, red-leaved variety of the above. For best color plant in sun.

7 1/2-2' 2-21/2'

50 .60

BETULA alba (European White Birch)

8-10' B&B

8.50

13/4-2" cal. B&B 2-21/4" cal B&B

12.00 14.00

laciniata

(Cutleaf Weeping Birch)

Graceful pendulous habit, ideal specimen plant, one of the whitest of white birches

1 3/4-2" cal. B&B

14.00

2-21/4" cal. B&B

16:00

CALYCANTHUS floridus (Sweetshrub) An old garden favorite with fragrant dark reddish-brown flowers.

3-4'

.75

CATALPA bungei

(Umbrella Tree)

5-6'

4.00

6-7'

4.50

CELASTRUS scandens

(American Bittersweet)

Most adaptable vine with sweet orange and red berries that retain color when cut and dried.

1 1/2-2'

.35

CERASUS (See Prunus)

CERCIS canadensis

(American Redbud)

Rosy-pink April, very effective when planted with Dogwood; good foliage.
Also called Judas Tree.

7-8' B&B 6.50

## CHAMAECYPARIS filifera

(Thread Retinospora)

Evergreen, Has long, stringy, drooping branches and bright green foliage. Graceful and decorative.

3-4' 4.50 4-4<sup>1</sup>/<sub>2</sub>' 5.50

filifera aurea

(Golden Thread Cypress)

18-24" 4.50 obtusa gracilis (Slender Hinoki Cypress)  $2\frac{1}{2}$ -3' 4.50 3- $3\frac{1}{2}$ ' 6.50 obtusa cripsi—golden

obrusa cripsi—golden

2½-3' 6.50
pisifera (Sawara Retinospora)

Evergreen. Quick grower. Lossely pyramidal.

2-2<sup>1</sup>/<sub>2</sub>'
2.75
2<sup>1</sup>/<sub>2</sub>-3'
3.25
3-3<sup>1</sup>/<sub>2</sub>' heavy
3.75
3<sup>1</sup>/<sub>2</sub>-4'
4.50
gurea

# (Golden Sawara Retinospora)

| 18-24"  | 2.50 |
|---------|------|
| 2-21/2' | 2.75 |
| 21/2-3' | 3.25 |
| 3-31/2' | 3.75 |
| 31/2-4  | 4.50 |
| 4-5'    | 5.50 |

plumosa (Plume Retinospora)

Evergreen. Forms a dense cone of tine texture. Useful for shearing into formal

| shapes.                  |                     |
|--------------------------|---------------------|
| 18-24"                   | 2.50                |
| 2-21/2'                  | 2.75                |
| 21/2-3'                  | 3.25                |
| 3-3½' (heavy)            | 3.75                |
| 4-41/2'                  | 4.50                |
| plumosa aurea            |                     |
| (Goldenpl                | lume Retinospora)   |
| 18-24"                   | 2.50                |
| 2-21/2'                  | 2.75                |
| 21/2-3'                  | 3.25                |
| 3-4' (heavy)             | 3.75                |
| pl. lutescens            |                     |
| (Dwarf Yellowp)          | lume Retinospora)   |
| Evergreen. Forms a low   | broad round-        |
| topped bush; bright      | yellow-tipped       |
| branchlets.              |                     |
| 2-21/2'                  | 3.50                |
| 21/2-3'                  | 4.50                |
| 3-31/2'                  | 5.50                |
| squarrosa veitchi (1     | Moss Retinospora)   |
| 21/2-3'                  | 3.50                |
| 3-3 1/2 '                | 4.50                |
| CLETHRA alnifolia        | (Summer Sweet)      |
| Spikes of very fragrant  | flowers. July-      |
| September. Prefers moist | , shady places.     |
| Also called Pepperbush.  |                     |
| 3-4'                     | 1.00                |
| CORNUS alba (sibirica)   |                     |
| (Red branche             | ed bright red bark, |
| po                       | rcelain Dogwood)    |
| Blue fruits.             |                     |
| 3-4'                     | .75                 |
| florida (Whiteflo        | owering Dogwood)    |
| 5-6' B&B                 | 7.50                |
| 6-7' B&B                 | 8.50                |
| florida rubra            |                     |
|                          | wering Dogwood)     |
| 5-6' B&B                 | 8.50                |
|                          |                     |

| 3½-4′ B & B                       | 4.50        |
|-----------------------------------|-------------|
| 4-4½' B & B                       | 6.50        |
| 4½-5′ B & B                       | 7.50        |
| OTONEASTER horizontalis & pra-    | ecox        |
| (Rock Co                          | otoneaster) |
| Evergreen. Small box-like leave   | s; bright   |
| red berries; effective among roc  | ks.         |
| Potgrown                          | 1.50        |
| divaricata                        |             |
| 2-3' B&B                          | 2.50        |
| 3-4'                              | 3.00        |
| franchetti                        |             |
| 2-3' B&B                          | 2.50        |
| 3-4'                              | 3.00        |
| CRATAEGUS oxycantha pauli         |             |
| (Paul English                     | Hawthorn)   |
| Double scarlet flowers.           |             |
| 6-7' B&B                          | 8.50        |
| CYDONIA japonica (Flowering       | ng Quince)  |
| Scarlet flowers in April, May.    |             |
| 18-24"                            | .60         |
| EUTZIA gracilis (Slende           | er Deutzia) |
| 2-21/2'                           | 1.00        |
| Pride of Rochester                |             |
| (Large Flowerin                   | a Deutzia)  |
| Large flowers, tinted pink, June. | 3 2 3       |
| 3-4'                              | .75         |
| 4-5'                              | .85         |
| NKIANTHUS (Red Vein E             | nkianthus)  |
| 21/2-3'                           | 3.50        |
| 3-31/2'                           | 4.00        |
| UONYMUS alatus compacta           |             |
| (Dwarf wing                       | Euonymus)   |
| 2-2½' B & B                       | 2.00        |
| 'AGUS sylvatica riversi (Pur      | ple Beech)  |
| 4-5'                              | 12.50       |
| ORSYTHIA                          |             |
| spectabilis (Showy Border Go      |             |
| Most profuse bright yellow        | flowers,    |
|                                   |             |

D

E

E

F.

F

| April.   |                    |
|--|--------------------|
| 3-4'   | 1.00               |
| 4-5' heavy                                     | 1.20               |
| GINKGO biloba                                  | (Maidenhair tree)  |
| Leaves shaped like mai                         | denhair fern; im-  |
| mune from insects.                             | 00.00              |
| 2½-3" cal. B & B                               | 28.00              |
| 3-3½" cal. B & B                               | 35.00              |
| GLEDITSIA Moraine                              | (Thornless Locust) |
| (Plant Pat. 836)                               | a fine and         |
| B & B  | 8.50               |
| GORDONIA alatamaha                             | (Franklinia)       |
| 4½-5' tree B & B                               | 8.50               |
| 5-6' tree B&B                                  | 10.00              |
| GRAPES field grown                             | 1.25               |
| HAMAMELIS virginiana                           |                    |
| 3-4'   | 1.00               |
| 4-5'   | 1.50               |
| HIBISCUS syriacus                              |                    |
| (Alth  | ea-Rose of Sharon) |
| Double Red - Do                                |                    |
| Double Lavender - I                            |                    |
| Flowers August to Septe                        |                    |
| 3-4'   | .75                |
| HYDRANGEA paniculata                           | (D C II )          |
| paniculata grandiflora Single large white flow |                    |
| 3-4'   | ers in August      |
| standard paniculata                            |                    |
| B&B  | 2.50               |
| DQD  | 3.50               |
| hartanaia (nink and blue                       |                    |
| hortensis (pink and blue<br>Heavy              | 2.50               |
| ILEX crenata                                   | (Japanese Holly)   |
|  | eaves, rich deep   |
| green. Stiff branching,                        |                    |
| hedge. Black berries.                          |                    |
| 2-21/2'  | 5.00               |
| 21/2-3'  | 6.00               |
| 3-4'   | 7.50               |
| 4-5'   | 8.50               |

| (1 11 ) (7 7 (7                        | 77 77 \          |  |  |  |
|--|------------------|--|--|--|
| convexa (bullata) (Box Leaf Ja         |                  |  |  |  |
| Evergreen form of slow growth. Shiny   |                  |  |  |  |
| convex foliage.                        |                  |  |  |  |
| 15-18" specimen (Fall 1957)            | 3.00             |  |  |  |
| 18-24''<br>2-2½'                       | <b>3.50 4.50</b> |  |  |  |
|  | Inkberry)        |  |  |  |
|  | _                |  |  |  |
| Evergreen. Shining, dark green         | leaves           |  |  |  |
| and more hardy than preceding.         | 0.00             |  |  |  |
| 18-24''<br>2-2½'                       | <b>2.50 3.00</b> |  |  |  |
| rotundifolia (Round Leaf Japane        |                  |  |  |  |
| 2-2½'                                  | 3.50             |  |  |  |
|  | ck Alder)        |  |  |  |
| 2-3'                                   |                  |  |  |  |
|  | .90              |  |  |  |
| JUNIPER                                |                  |  |  |  |
| excelsa stricta (Spiny Greek           | _                |  |  |  |
| Evergreen. Compact, well-shaped        | l pyra-          |  |  |  |
| mid. Foliage gray-green.               |                  |  |  |  |
| 18-24"                                 | 2.00             |  |  |  |
| 2-2 1/2'                               | 2.75             |  |  |  |
| helzi (Spreading Blue                  | _                |  |  |  |
| 1½-2' (Fall 1957)                      | 3.50             |  |  |  |
|  | Juniper)         |  |  |  |
| 3-4'                                   | 2.00             |  |  |  |
|  | Juniper)         |  |  |  |
| Evergreen. Broad, bushy habit.         | _                |  |  |  |
| green foliage, giving feathery o       | rppear-          |  |  |  |
| ance. Very hardy.                      |                  |  |  |  |
| 1½-2' (Fall 1957)<br>2-2½' (Fall 1957) | 3.00             |  |  |  |
|  | 3.50             |  |  |  |
|  | n Laurel)        |  |  |  |
| Evergreen. Most effective in June      |                  |  |  |  |
| the clusters of pink flowers open.     | Good             |  |  |  |
| foliage; likes shade.                  | 2.00             |  |  |  |
| 2-21/2'                                | 3.00             |  |  |  |
| KOELREUTERIA paniculata                |                  |  |  |  |
|  | ain Tree)        |  |  |  |
| 6-7′ B&B                               | 12.50            |  |  |  |

#### KOLKWITZIA

Amabilis (Beautybush)

Covered in early May with mass of pink flowers

3-4' .85

LABURNUM vossi (Golden Chain)

Attractive, small tree with yellow, peashaped flowers in long racemes.

**7-8' B & B** 8.50

LEUCOTHOE catesbaei (Drooping Leucothoe)
Evergreen. Attractive white flowers,
May. Handsome, lustrous leaves, rich
autumn coloring. Splendid for shade.

15-18" **2.**50 18-24" **3** 00

LIGUSTRUM ovalifolium (California Privet)

Most popular hedge plant.

2-3' .17 3-4' .25 globe (Ball Privet) 2' .2.00

3' 3.00 3½' 3.50 golden (Golden Privet)

 $2\frac{1}{2}-3$  B&B (bushy) 1.75

# LONICERA

1 1/2 -2'

fragrantissima (Winter Honeysuckle)

Fragrant, white flowers. April-May 4-5'

morrowi (White Morrow)

2-3' .75

tat. rosea

3-4' .75

halliana (Hall Japanese Honeysuckle)
2 yr. .35

MAGNOLIA soulangeana & nigra

(Saucer Magnolia)

.14

Large, purplish-pink and white flowers in May.

| (Outst | anding | B&B |
|--------|--------|-----|
|--------|--------|-----|

| 3-31/2' B&B                           | 5.00         |
|---------------------------------------|--------------|
| 3½-4' B&B                             | 6.00         |
| 4-4½' B&B                             | <b>7</b> .00 |
| 4 <sup>1</sup> / <sub>2</sub> -5' B&B | 8.00         |
| 5-6' B&B                              | 10.00        |
| 6-7' B&B                              | 12.00        |

MAGNOLIA stellata (Star Magnolia)

Spreading, shrubby habit, fragrant, semidouble, white flowers appearing long before the leaves.

| 3-4  | 8.50  |
|------|-------|
| 4-5' | 12.00 |
|      |       |

MALUS (Flowering Crab Apples)

Known for the profuse flowers in early

Spring.

| atrosanguinea | (Carmine Crab)        |
|---------------|-----------------------|
| floribunda    | (Jap. Flowering Crab) |
| eleyi         | (Ely Flowering Crab)  |
| ioensisplena  | (Bechtel Crab)        |
| scheideckeri  | (Scheidecker Crab)    |
|               |                       |

7-8' (heavy) 6.50
7-8' B&B 8.50
almey B & B extra heavy 12.50

OXYDENDRUM arboreum (Sourwood)

Graceful clusters of white flowers, August. Good leathery foliage. Fine Autumn

ust. Good leathery foliage. Fine Autumn coloring.

5-6' B&B 10.00

PACHYSANDRA terminalis

(Japanese Spurge)

Evergreen. One of the best bedding plants for green effect in shady place.

.05 potted 21/4" .09

**PEONIES** 

B&B (best varieties) 2.50

PEACHES in variety—heavy B&B 6.50 PEARS heavy—in variety B&B 12.50

PHILADELPHUS coronarius

| White, | fragrant | flowers | profusely | borne |
|--------|----------|---------|-----------|-------|
| in May | -June.   |         |           |       |
| A E1   |          |         |           | 75    |

4-5' .75 5-6' heavy 1.50

virginalis (Virginal Mockorange)
Beautiful semi-double flowers produced

intermittently all summer.

3-4' .80 4-5' 1.00

**PICEA** 

alberta

2-21/2' 10.00

glauca (Colorado Blue Spruce)
Evergreen. Pleasing blue color. Branches

in distinct whorls forming handsome

lawn specimen.

2-21/2' 4.50

PIERIS floribunda (Mountain Andromeda)
Evergreen. Waxy-white flowers in May.
Good deep green foliage, best in half
shady places. Very hardy.

18-24" 3.50

PIERIS japonica (Japanese Andromeda)

Evergreen. Thick shiny leaves, turning
bronze in winter. Drooping clusters of
small, white flowers open in May. Best
in moist, partially shaded place.

 18-24" light
 3.50

 18-24" heavy
 4.00

 2-2½' heavy
 5.00

 2½-3' heavy
 6.50

PINUS strobus (White Pine)

Evergreen. Silvery green needles.

3-3½' 6.00 PLUMS in variety—heavy B&B 8.50

PLATANUS acerifolium

(European Planetree or

European Sycamore)

2" cal. Luropean Sycamo

POPULUS nigra italica (Lombardy Poplar)

Tall spire-like character; valued for landscape work and screens.

8-10' 2.50

PRUNUS cerasifera pissardi

blicriana

Newport, Thundercloud (Purple-leaf Plum)
Valued chiefly because of purplish foliage; should be pruned every year for best color effect.

6-8' 6.50 6-8' B & B 8.50

Glandulosa rosea

(Double Pink Flowering Almond)

Flowers very showy, May.

2½-3' B&B Fall 1957 1.50 3-4' B&B 1.75

subhirtella pendula (Weeping Jap. Cherry)
Graceful tree covered with pink blossoms in early spring.

No. 1 6-yr. B&B 12.50

CERASUS kwanzen

Mt. Fugi (Jap. Flowering Cherries)

Flowers double pink

4-5' 10.50 5-6' B&B (heavy) standard 12.50

B & B (heavy) pyramid 16.50

RETINOSPORA (See CHAMAECYPARIS)
RHODODENDRON carolinianum

(Carolina Rhododendron)

Bright pink and white flowers in May or June.

18-24" 4.50

catawbiense (Catawba Rhododendron)
Large rosy-purple flowers in May or
June and prefers half-shade.

 $2-2\frac{1}{2}$  5.00  $2\frac{1}{2}-3$  6.50  $3-3\frac{1}{2}$  8.00

RHODODENDRON maximum

# (Rosebay Rhododendron)

Light pink flowers May-June. Large handsome foliage. Excellent for city plant-

| i | na  |   |
|---|-----|---|
| ٠ | 119 | ۰ |

| 21/2-3'    |  |  | 4.00 |
|------------|--|--|------|
| 3-3 1/2 '  |  |  | 5.00 |
| 3 1/2 - 4' |  |  | 6.00 |

# RHODOTYPIS kerriodes

| DOTYPIS kerriodes | (Jetbead) |
|-------------------|-----------|
| 2-3'              | .75       |
| 3-4'              | 1.00      |

#### RHODODENDRON HYBRIDS

Named varieties

| 2-21/2'    | 8.50  |
|------------|-------|
| 2 1/2 - 3' | 11.00 |

# ROSES-HYBRID and CLIMBERS-

Many different varieties and colors Northern Grown, No. 1 Best for Long Island 6 1/2" pots 1.20

## SALIX babylonica

(Babylon: Weeping Willow) lutea Particularly appropriate for waterside planting with its long pendulous branches.

| l ½" cαl. | 4.50 |
|-----------|------|
| l ¾" cal. | 6.00 |
| 2" cal.   | 8 00 |

#### SORBUS aucuparia

(Real European Mountain Ash)

A valuable tree on a small lawn; the scarlet berries are quite striking in fall.

| 1 1/2 - 2" | cal. | В&В | 12.00 |
|------------|------|-----|-------|
| 2-21/2"    | cal. | B&B | 16.00 |

#### SPIRAFA

prunifolia (Bridlewreath)

White, May, dark green shining foliage. turning orange in Autumn.

| 3-4' |  |        | .85 |
|------|--|--------|-----|
| 7    |  | / PP13 |     |

thunbergi (Thunberg Spirea) van houttei (Vanhoutte Spirea)

| White, May-June. Graceful habit. Ex-        |
|---|
| tremely free flowering and very adap-       |
| table.                                      |
| 2-3' .60                                    |
| 3-4'  |
| SYMPHORICARPOS racemosus (Snowberry)        |
| Conspicuous, white berries, attractive fol- |
| iage. Most adaptable but best in half-      |
| shady, moist locations.                     |
| 2-3' .60                                    |
| 3-4' .75                                    |
| vulgaris (Coralberry)                       |
| 3-4'  |
| SYRINGA persica (Persian Lilac)             |
| Blooms freely, lilac, May-June.             |
| 3-4' heavy B&B 2.50                         |
| $4-4\frac{1}{2}$ B&B 3.50                   |
| HYBRIDS (named varieties)                   |
| 2-3' B&B 2.50                               |
| 3-4' B&B 3.50                               |
| 4-4 <sup>1</sup> / <sub>2</sub> ' B&B 4.50  |
| 4½-5′ B&B 5.00                              |
| TAXUS brevifolia (Dwarf Jap. Yew)           |
| Evergreen. Broad thick leaves, dark         |
| green. Slow growing and irregular           |
| spreading habit. Exceptionally hardy.       |
| 12-15" 3.00                                 |
| 15-18"                                      |
| 18-24" 4.50                                 |
| browni (Brown's Yew                         |
| 18-24" (Fall 1957) 3.50                     |
| cuspidata (Jap. Spreading Yew               |
| Evergreen. Rich, deep green leaves.         |
| Spreading, bushy habit. Valuable in         |
| foundation plantings. Exceptionally         |
| hardy.                                      |
| 18-24" 3.50                                 |
| 2-21/2' 5.00                                |

| cuspidala capitata         |                 |
|----------------------------|-----------------|
|                            | Japanese Yew)   |
| Evergreen. The Upright t   |                 |
| 3-3½' regular              | 8.50            |
| 3½-4' regular              | 10.00           |
| 3-4' extra heavy           | 12.00           |
| 4-4½' extra heavy          | 13.00           |
| 4½-5' extra heavy          | 15.00           |
| 5½-6' extra heavy          | 20.00           |
| densiformis (Compact       | Spreading Yew)  |
| 2-21/2'                    | 5.50            |
| hatfieldi                  | (Hatfield Yew)  |
| Columnar type similar to H |                 |
| more compact.              |                 |
| Heavy compact (special     | 6.00            |
| hicksi                     | (Hicks Yew)     |
| Columnar form with uprig   |                 |
| 18-24''                    | 3.00            |
| 18-24'' heavy              | 3.50            |
| 2-2½' heavy                | 6.00            |
| 2½-3' heavy                | 7.50            |
| kelseri                    | (Kelsey Yew)    |
| 2-2½' heavy                | _               |
|                            | 5.00            |
| thaeyeri                   |                 |
| 18-24"                     | 3.50            |
| 2-21/2'                    | 4.50            |
| moon's columnaris (Co      |                 |
| Beautiful upright and co   |                 |
| green leaves, extremely ho |                 |
| 18-24''                    | 3.50            |
|                            | ng English Yew) |
| 18-24"                     | 5.50            |
| wardi                      | (Ward's Yew)    |
| Evergreen. Spreading hab   | oit with dense  |
| foliage and berries.       |                 |

| 18-24"  | 3.50 |
|---------|------|
| 2-21/2' | 4.50 |

| THUJA occidentalis ( | American Arborvitae)   |
|----------------------|------------------------|
| Evergreen. Slender p | yramid with broad      |
| base. Good accent    |                        |
| 2 1/2 - 3'           | 2.50                   |
| 3-3 1/2'             | 3.00                   |
| 3 1/2 -4'            | 3.50                   |
| 4-4 1/2 '            | 4.00                   |
| 4 1/2 - 5'           | 4.50                   |
| 5-6'                 | 6.50                   |
| 6-7'                 | 7.50                   |
| 7-8'                 | 9.00                   |
| compacta             | (Hovey Arborvitae)     |
| Evergreen. Almost g  |                        |
| green. Useful in fo  | ormal or foundation    |
| planting.            |                        |
| 18-24''              | 2.00                   |
| 2-21/2               | 2.50                   |
|                      | ldentipped Arborvitae) |
| Evergreen. Branches  | tipped with yellow.    |
| Rich lustrous green. |                        |
| 4 1/2 -5'            | 5.00                   |
| 5-6'                 | 6.50                   |
| lutea                | (George Peabody)       |
| 3-4'                 | 4.50                   |
| nigra (Dark          | American Arborvitae)   |
| Evergreen. Similar   | to American, only      |
| darker green.        |                        |
| 2-21/2'              | <b>2</b> .50           |
| 2 1/2 - 3'           | 3.00                   |
|                      | 0.50                   |

| 2-21/2'       | <b>2</b> .50 |
|---------------|--------------|
| 2 1/2 - 3'    | 3.00         |
| 3-31/2'       | 3.50         |
| 3½-4' (heavy) | 4.50         |
| 4-5'          | 5.00         |

pyramidalis (Pyramid Arborvitae)

Evergreen. Retains bright green coloring throughout winter. Narrow columnar shape.

| upe.          |      |
|---------------|------|
| 2-21/2'       | 2.50 |
| 2 1/2 - 3'    | 2.75 |
| 3-31/21       | 3.00 |
| 3½-4' (heavy) | 3.50 |
| 4-4 1/2'      | 4.00 |
| 4 1/2 -5'     | 4.50 |
| 5-6           | 5.50 |

(Berckman's Golden Arborvitae)

A gem for dwarf planting: compact, roundish shape, warm golden yellow foliage. Good for edging.

15-18" 2.00 18-24" 2:50

TSUGA canadensis (Canada Hemlock) Evergreen, Most graceful and Adaptable, the spreading horizontal branches making effective shadow effects. Useful in either clipped hedge or informal planting.

 $2\frac{1}{2}-3'$  (heavy) 6.00 4-41/2' heavy 8.50 12.00  $4\frac{1}{2}-5'$  heavy

Other sizes according to selection

VIBURNUM americanum (oxycoccos)

(American Cranberrybush)

Bright scarlet berries in large bunches. persisting all winter.

3-4" .75 4-5 1.00

VIBURNUM betuliana (Tea Viburnum) 3-4' B&B

VIBURNUM burkwoodi

(Burkwood Viburnum)

1.50

A hybrid viburnum similar to carlesi but superior in foliage which is semievergreen and glossy. Fragrant pink clusters in early May.

21/2-3' B&B 3.50

VIBURNUM cassinoides (With-rod) White, June-July. Berries pink changing to dark blue. Rich autumn coloring; splendid for massing and near water.

3-4' 1.00

VIBURNUM carlesi (Fragrant Viburnum) One of the most desirable, semi-dwarf flowering shrubs with wonderfully fragrant flower clusters of white shaded with pink. Foliage nice green.

3-4' B & B 3.50

| dentatum                                  | (Arrowwood)           |  |
|---|-----------------------|--|
| 2-3'                                      | 1.00                  |  |
| dilatatum                                 | (Linden Viburnum)     |  |
| White, May-June, scarlet showy berries    |                       |  |
| persisting.                               |                       |  |
| 4-41/2'                                   | 1.00                  |  |
| VIBURNUM lantana                          | (Wayfaring-Tree)      |  |
| White, May-June. Handsome, dark green,    |                       |  |
| wrinkled leaves. Berries red, chang-      |                       |  |
| ing to black.                             | 77                    |  |
| 3-4'<br>4-5'                              | .75<br>1.00           |  |
|   | (Nanyberry)           |  |
| lentago                                   |                       |  |
|   | Handsome shining      |  |
| leaves. Blue-black fruits. Splendid shrub |                       |  |
| for massing.                              | .75                   |  |
| 3-4'<br>4-5'                              | 1.00                  |  |
| VIBRUNUM opulus ster                      | ,                     |  |
| (Common Snowball)                         |                       |  |
| Has showy, round l                        |                       |  |
| ers, May-June.                            |                       |  |
| 4-5' B&B                                  | 2.50                  |  |
| prunifolium                               | (Blackhaw)            |  |
|   | s, April-June. Blue-  |  |
| black berries.<br>2-3'                    | 2.50                  |  |
| molle                                     |                       |  |
| 3-4'                                      | 1.00                  |  |
| sieboldi                                  | (Siebold Viburnum)    |  |
| White, May-June, H                        | andsome dark green.   |  |
| leaves.                                   |                       |  |
| 3-4'                                      | .75                   |  |
| tomentosa                                 | (Doublefile Viburnum) |  |
| 3-4'                                      | 1.00                  |  |
| wrighti<br>3-4'                           | 1.60                  |  |
|   | (Lilac Chaste-tree)   |  |
| Dainty shrub, lilac flowers. August to    |                       |  |
| September. Gray-green, star-shaped        |                       |  |
| leaves.                                   | 1.50                  |  |
| 3' B&B                                    | 1.50                  |  |
| <del>- 19 - </del>                        |                       |  |


#### WEIGELIA Eva Rathke

(Redflowering Weigelia) Carmine. June-August. Most floriferous. 2-21/2" (Crimson Weigelia) floribunda Upright growing shrub with crimson flowers. .75 3-4' 1.00 4-5' (Variegated Weigelia) nana variegata Pink flowers: variegated leaves. 75 3-4' (Pink Weigelia) rosea Showy, pink flowers freely produced, June. .75 4-41/2" 1.00 5-6' WISTERIA multijuga (Longcluster Wisteria) Has long drooping racemes of purple flowers. Unusually fine to cover a trellis or pergola. 2.00 Seedlings bare root

Hybrid grafted-Blue & Pink

6-7' B&B

8.50



# LEO SCHRAKAMP'S NURSERIES, INC.

BAyside 9-6153

Victory Press Flushing, N. Y.